



IN THE CLAIMS:


1. (Currently Amended) An aromatic amine derivative represented by following general formula (1):



wherein A represents a diarylamino group represented by:



B represents a diarylamino group represented by:



Ar¹ to Ar⁴ each independently representing a substituted or unsubstituted aryl group having 5 to 50 nuclear atoms, and the two diarylamino groups represented by A and B being not ~~the same with each other~~ diarylamino group, wherein at least one of Ar¹ to Ar⁴ comprises a biphenyl group; and

L represents a linking group comprising a ~~substituted or unsubstituted arylene group having 5 to 50 nuclear atoms or a linking group comprising a plurality of substituted or unsubstituted arylene groups having 5 to 50 nuclear atoms bonded with each other through a single bond, oxygen atom, sulfur atom, nitrogen atom or a saturated or unsaturated divalent~~

~~aliphatic hydrocarbon group having 1 to 20 nuclear carbon atoms~~ biphenylene group or a terphenylene group.

2. (Original) An organic electroluminescence device comprising a cathode, an anode and an organic thin film layer which is disposed between the cathode and the anode and comprises at least one layer comprising a light emitting layer, wherein at least one layer in the organic thin film layer comprises an aromatic amine derivative described in Claim 1 singly or as a component of a mixture.

3. (Original) An organic electroluminescence device according to Claim 2, wherein the organic thin film layer comprises a hole transporting zone, and the hole transporting zone comprises an aromatic amine derivative described in Claim 1 singly or as a component of a mixture.

4. (Original) An organic electroluminescence device according to Claim 2, wherein the organic thin film layer comprises a hole transporting layer, and the hole transporting layer comprises the aromatic amine derivative singly or as a component of a mixture.

5. (Original) An organic electroluminescence device according to Claim 4, wherein the hole transporting layer comprises the aromatic amine derivative as a main component.

6. (Original) An organic electroluminescence device according to Claim 2, wherein the organic thin film layer comprises 30 to 100% by mole of the aromatic amine derivative.

7. (New) An aromatic amine derivative selected from a group consisting of (H2), (H3), (H6), (H7), (H8), (H9), (H10), (H11), (H12), (H13) and (H14):

